

The Right Solution for Your Electrical Equipment

EL[®] 2846 NON-CHLORINATED ELECTRICAL DEGREASER

The Ultimate Non-Chlorinated Electrical Degreaser.





Why use Sprayon® E™2846 Non-Chlorinated Electrical Degreaser instead of LPS® 4015 NoFlash NU?

Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser has a lower HMIS rating, faster evaporation rate, higher solvency, higher dielectric strength, is safe on most plastics*, and uses much less product to remove commonly encountered stains.

Comparison tests/data	Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser	LPS® 4015 NoFlash NU
HMIS data Evaporation Rate Solvency KB value Dielectric Strength Plastics Safe Stain removal - Tar Stain removal - Adhesives Stain removal - Carbon di		2,1,0 16 min 30 sec 126 3,000 No 19.3g 1.0g 10.3g 1.0g

^{*}must test substrate first



Why use Sprayon® E™2846 Non-Chlorinated Electrical Degreaser instead of CRC® 03110 Super Degreaser™?

Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser has a faster evaporation rate, higher solvency, higher dielectric strength, is safe on most plastics,* and uses much less product to remove commonly encountered stains.

Comparison tests/data	Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser	CRC [®] 03110 Super Degreaser
Evaporation Rate	9 min 31 sec	20 min 30 sec
Solvency KB value	129	115
Dielectric Strength	15,000	2,000
Plastics Safe	Yes*	No
Stain removal - Tar	5.0g	18.7g
Stain removal - Grease	0.8g	1.5g
Stain removal - Ink	0.7g	2.3g
Stain removal - Adhesive	es 3.2g	26.9g
Stain removal - Carbon	dust 0.8g	1.2g

^{*}must test substrate first

WHY USE SPRAYON®?

MAXIMIZE THE PRODUCTIVITY AND SAFETY OF YOUR OPERATION.

THE HIGHEST PERFORMING MRO/INDUSTRIAL CHEMICALS AND LUBRICANTS NOW INTEGRATED WITH A NEW 5S VISUAL MANAGEMENT SYSTEM.



Why use Sprayon® E™2846 Non-Chlorinated Electrical Degreaser instead of CRC® 03150 Contact Cleaner 2000®?

Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser has higher solvency, higher dielectric strength, is safe on most plastics,* and uses much less product to remove commonly encountered stains.

Comparison tests/data	Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser	CRC® 03150 Contact Cleaner 2000®
Solvency KB value	129	56
Dielectric Strength	15,000	1,000
Plastics Safe	Yes*	No
Stain removal - Tar	5.0g	12.4g
Stain removal - Grease	0.8g	0.8g
Stain removal - Ink	0.7g	2.2g
Stain removal - Adhesive	s 3.2g	6.3g
Stain removal - Carbon d	ust 0.8g	1.3g

CRC
Industrial
Contact
Cleaned
Represente
Betrico Sin Cloro

Represente
Repre

We are one of the world's largest and most experienced manufacturers of tested and approved electronic maintenance cleaners. Our extensive line includes non-ozone-depleting products as alternatives to Class II compounds. We offer the highest quality line of electronic cleaners available anywhere. Use them with confidence for a variety of applications. To view our complete offering, please visit www.sprayon.com.



SPRAYON® SYSTEM PRODUCT ID TAGS



SPRAYON® SYSTEM KANBAN TAGS



SPRAYON® SYSTEM EDUCATIONAL POSTERS



SPRAYON® SYSTEM MAGNETIC CAN HOLDERS





Visit SprayonSystem.com

^{*}must test substrate first

WHY SPRAYON® ELECTRICAL DEGREASERS?

EL 2846

NON-CHLORINATED ELECTRICAL DEGREASER

Sprayon® EL™2846 Non-Chlorinated Electrical Degreaser is a non-chlorinated, non-flammable, fast-evaporating cleaner penetrates instantly to remove dirt, oil, grease and wax. Non-Chlorinated Electrical Degreaser increases the life of electrical components by removing foreign materials that can cause costly downtime. It degreases more thoroughly and several times faster than alkaline cleaners. This solvent cleaner is excellent for degreasing aluminum and cleaning sheet and strip steel prior to galvanizing.

- No Hazardous Air Pollutants (HAP FREE)
- NSF reg. no. 138487; K2 rated
- Penetrates instantly to remove dirt, oil,grease and wax
- More thorough and faster than alkaline cleaners
- Safe on all ferrous and non-ferrous metals; most plastics
- Non-flammable, non-chlorinated, non-ozone-depleting
- Dielectric strength: 15,000 volts

S20846 20-oz. cans (18-oz. net wt.) Case Pack: 12

USES


- · Electric motors
- · Air tools
- · Clutches
- · Sprockets
- ·Dies
- · Relays
- ·Locks
- Material handling equipment
- · Generators
- · Brakes
- · Chains
- · Wire ropes
- · Molds
- · Radar equipment
- · Air conditioners



Nonfood Compounds Program Listed (K2 Rated) (Registration # 138487)

LPS is a registered trademark of Illinois Tool Works. CRC, Super Degreaser and Contact Cleaner 2000 are registered trademarks of CRC Industries, Inc. Sprayon is a registered trademark of The Sherwin-Williams Company.

©2010 Sprayon® Products Made in U.S.A.



PRESERVE. PROTECT. PREVENT.™



Sprayon® Products 101 Prospect Ave. NW Cleveland, OH 44115 www.Sprayon.com 1-800-777-2966

310-B007-000

Distributed by: